ELSEVIER

Applied Catalysis A: General 129 (1995) 251–252

APPLIED CATALYSIS A: GENERAL

Author Index

Abello, M.C., Velasco, A.P., Gorriz, O.F. and Rivarola, J.B.
Temperature-programmed desorption study of the acidic properties of γ-alumina 93
Abouarnadasse, S., see Perrichon, V. 69
Alvila, L., see Timonen, J. 117
Andersson, S., see Zhang, Y. 125
Andresen, J.M., see Snape, C.E. 139
Bartholdy, J., Zeuthen, P. and Massoth, F.E.
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Bartholdy, J., see Zeuthen, P. 43
Bendiksen, M., Tangstad, E. and Myrstad, T.
A comparison of laboratory deactivation methods for FCC catalysts 21
Bertea, L., Kouwenhoven, H.W. and Prins, R.
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Blanchard, G., see Perrichon, V. 69
Chen, H., see Wang, H. 143
Corma, A., Gonzàlez-Alfaro, V. and Orchillès, A.V.
Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203
Cortright, R.D. and Dumesic, J.A.
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Deng, J., see Wang, H. 143
Dumesic, J.A., see Cortright, R.D. 101
Dupont, P., Védrine, J.C., Paumard, E., Hecquet, G. and Lefebvre, F.
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Foley, H.C., see Raich, B.A. 167
Gonzàlez-Alfaro, V., see Corma, A. 203
Gorriz, O.F., see Abello, M.C. 93
Gross, D., see Timonen, J. 117
Hecquet, G., see Dupont, P. 217
Hirva, P., see Timonen, J. 117
Hughes, R., see Snape, C.E. 139
Hutchings, G., see Snape, C.E. 139
Koon, C.L., see Snape, C.E. 139
Kouwenhoven, H.W., see Bertea, L. 229
Laachir, A., see Perrichon, V. 69
Lefebvre, F., see Dupont, P. 217
Lehmann, V., see Timonen, J. 117
Lischke, G., Schreier, E., Parlitz, B., Pitsch, I., Lohse, U. and Woettke, M.
Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57
Lohse, U., see Lischke, G. 57
Lohse, U., Pitsch, I., Schreier, E., Parlitz, B. and Schnabel, K.-H.
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
Massoth, F.E., see Bartholdy, J. 33
Massoth, F.E., see Zeuthen, P. 43
McGhee, B.J., see Snape, C.E. 139
Mori, T., Yamauchi, S., Yamamura, H. and Watanabe, M.
New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1
Muhammed, M., see Zhang, Y. 125
Myrstad, T., see Bendiksen, M. 21
Narayanan, S., Unnikrishnan, R. and Vishwanathan, V.
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Orchillès, A.V., see Corma, A. 203
Pakkanen, T.T., see Timonen, J. 117
Parera, J.M., see Yori, J.C. 83
Parera, J.M., see Yori, J.C. 151
Parlitz, B., see Lischke, G. 57
Parlitz, B., see Lohse, U. 189
Paumard, E., see Dupont, P. 217
Perrichon, V., Laachir, A., Abouarnadasse, S., Touret, O. and Blanchard, G.
Thermal stability of a high surface area ceria under reducing atmosphere 69
Pitsch, I., see Lischke, G. 57
Pitsch, I., see Lohse, U. 189
Prins, R., see Bertea, L. 229
Raich, B.A. and Foley, H.C.
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Rivarola, J.B., see Abello, M.C. 93
Schnabel, K.-H., see Lohse, U. 189
Schneider, P.
Adsorption isotherms of microporous–mesoporous solids revisited 157
Schreier, E., see Lischke, G. 57
Schreier, E., see Lohse, U. 189
Snape, C.E., McGhee, B.J., Andresen, J.M., Hughes, R., Koon, C.L. and Hutchings, G.
Characterisation of coke from FCC refinery catalysts by quantitative solid state ^{13}C NMR 139
Tangstad, E., see Bendiksen, M. 21
Timonen, J., Alvila, L., Hirva, P., Pakkanen, T.T., Gross, D. and Lehmann, V.
NMR imaging of aluminum oxide catalyst spheres 117
Touret, O., see Perrichon, V. 69
Unnikrishnan, R., see Narayanan, S. 9
Védrine, J.C., see Dupont, P. 217
Velasco, A.P., see Abello, M.C. 93
Vishwanathan, V., see Narayanan, S. 9
Wang, H., Yu, Z., Chen, H., Yang, J. and Deng, J.
High activity ultrafine Ni–Co–B amorphous alloy powder for the hydrogenation of benzene 143
Watanabe, M., see Mori, T. 1
Woettke, M., see Lischke, G. 57
Yamamura, H., see Mori, T. 1
Yamauchi, S., see Mori, T. 1
Yang, J., see Wang, H. 143
Yori, J.C. and Parera, J.M.
Isomerization of n-butane over Ni/SO_4^{2-}–ZrO_2 83
Yori, J.C. and Parera, J.M.
Preparation of Pt/SO_4^{2-}–ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151
Yu, Z., see Wang, H. 143
Zeuthen, P., see Bartholdy, J. 33
Zeuthen, P., Bartholdy, J. and Massoth, F.E.
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
Zhang, Y., Andersson, S. and Muhammed, M.
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

ELSEVIER

Applied Catalysis A: General 129 (1995) 253–256

APPLIED CATALYSIS A: GENERAL

Subject Index

Acidity
Temperature-programmed desorption study of the acidic properties of γ-alumina 93
Acid sites
Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57
Acrylic acid
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Activated carbon
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Aging
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
Alkane cracking
Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203
γ-Alumina
Temperature-programmed desorption study of the acidic properties of γ-alumina 93
Aluminium oxide
NMR imaging of aluminum oxide catalyst spheres 117
Ammonia desorption
Temperature-programmed desorption study of the acidic properties of γ-alumina 93
Amorphous alloy
High activity ultrafine Ni–Co–B amorphous alloy powder for the hydrogenation of benzene 143
Aniline hydrogenation
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Benzene
Vapour-phase nitration of benzene over modified mordenite catalysts 229
BET isotherm
Adsorption isotherms of microporous–mesoporous solids revisited 157
Butane
Isomerization of n-butane over Ni/SO_4^{2-}–ZrO_2 83
Carbon
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Catalyst
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Catalyst deactivation
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Catalyst preparation (doping)
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Catalyst structure
NMR imaging of aluminum oxide catalyst spheres 117
CeO_2
Thermal stability of a high surface area ceria under reducing atmosphere 69
Ceria
Thermal stability of a high surface area ceria under reducing atmosphere 69
Cerium oxide
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Coke
Characterisation of coke from FCC refinery catalysts by quantitative solid state ^{13}C NMR 139
Coking
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
CSTR-CSTR model
Supra-equilibrium conversion in palladium

membrane reactors: Kinetic sensitivity and time dependence 167
Cyclohexane dehydrogenation
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Deactivation
A comparison of laboratory deactivation methods for FCC catalysts 21
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Dealumination
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Dehydrogenation
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Environmental
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Esterification
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Faujasites (cubic and hexagonal)
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
FCC
Characterisation of coke from FCC refinery catalysts by quantitative solid state ^{13}C NMR 139
Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203
FCC catalyst
A comparison of laboratory deactivation methods for FCC catalysts 21
Heptane cracking
Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57
Heteropolyacid
Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217
Hollandite
New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1
Hydrogenation
High activity ultrafine Ni–Co–B amorphous alloy powder for the hydrogenation of benzene 143
Hydrogen–oxygen chemisorption
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Hydroprocessing
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
Hydroprocessing catalysts
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Incipient wetness
Preparation of $Pt/SO_4^{2-}–ZrO_2$ by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151
Infrared measurements
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
Isobutane
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Isobutane dehydrogenation
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Isomerization
Isomerization of n-butane over $Ni/SO_4^{2-}–ZrO_2$ 83
Kinetics
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
L-zeolite
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
MCM-22
Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203
Membrane deactivation
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Mesopores
Adsorption isotherms of microporous–mesoporous solids revisited 157
Microactivity test
A comparison of laboratory deactivation methods for FCC catalysts 21
Micropores
Adsorption isotherms of microporous–mesoporous solids revisited 157
Micropore volume
Adsorption isotherms of microporous–mesoporous solids revisited 157
Microporosity
Thermal stability of a high surface area ceria under reducing atmosphere 69

Mordenite
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Nanophase
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
n-Butane isomerization
Preparation of Pt/SO_4^{2-}–ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151
Nickel–alumina
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Nickel–cobalt–boron alloy
High activity ultrafine Ni–Co–B amorphous alloy powder for the hydrogenation of benzene 143
Nickel supported on sulfated zirconia
Isomerization of n-butane over Ni/SO_4^{2-}–ZrO_2 83
Nitration
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Nitrobenzene
Vapour-phase nitration of benzene over modified mordenite catalysts 229
Nitrogen isotherms
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
Nitrogen monoxide
New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1
NMR imaging
NMR imaging of aluminum oxide catalyst spheres 117
Non-framework aluminium
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
N-phenyl-cyclohexylamine
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Nuclear magnetic resonance
Characterisation of coke from FCC refinery catalysts by quantitative solid state ^{13}C NMR 139
Oxalate coprecipitation
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Oxygen storage
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Oxygen vacancy
Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125
Palladium membrane
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Physical adsorption
Adsorption isotherms of microporous–mesoporous solids revisited 157
Platinum
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Platinum on sulfated zirconia
Preparation of Pt/SO_4^{2-}–ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151
Pore size distribution
Adsorption isotherms of microporous–mesoporous solids revisited 157
Preparation
Nickel–alumina prepared by constant and varying pH method: Evaluation by hydrogen–oxygen chemisorption and aniline hydrogenation 9
Propene
New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1
Reaction kinetics
Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167
Reaction pathways
Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57
Reduction
Thermal stability of a high surface area ceria under reducing atmosphere 69
Regeneration
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Resid cracking
A comparison of laboratory deactivation methods for FCC catalysts 21
Sulphur concentration
Preparation of Pt/SO_4^{2-}–ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151
Surface area
Thermal stability of a high surface area ceria under reducing atmosphere 69
Temperature-programmed desorption
Temperature-programmed desorption study of the acidic properties of γ-alumina 93
Temperature-programmed desorption of ammonia
Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189

Temperature-programmed oxidation
Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
Texture
Thermal stability of a high surface area ceria under reducing atmosphere 69
Thermal stability
Thermal stability of a high surface area ceria under reducing atmosphere 69
Tin
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Ultrafine powder
High activity ultrafine Ni–Co–B amorphous alloy powder for the hydrogenation of benzene 143
Vanadium
Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43
Zeolites
Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57
L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101
Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203
Zirconia
Isomerization of n-butane over Ni/SO_4^{2-}–ZrO_2 83